



20
24

MARA

Product Catalogue

www.mara-oil.com

04

Packaging

06

Engine oils for tractors, cars, excavators & trucks

08

EVOLUTION

11

GTX

13

TRANS GEAR EP SAE

16


ATF

17

MOTORCYCLE OILS

18

Contact



Welcome to MARA

Where tradition meets innovation since the 1930s. Mariborska Rafinerija, MARA has a rich legacy rooted in decades of commitment to excellence in the field of motor oils and engines. Our journey began with a passion for delivering high-quality lubricants, and over the years, we have evolved into a global force, making our mark in the automotive industry worldwide.

With a legacy that spans generations, MARA has consistently upheld the values of quality, reliability, and innovation. Our commitment to excellence has propelled us to every corner of the globe, and today, we proudly stand as a trusted name in the international market.

At MARA, we aspire to become a household name, synonymous with top-notch motor oils and engines, proudly representing the essence of European craftsmanship. Our dedication to research and development ensures that our products not only meet but exceed the evolving standards of the automotive industry.

As we stride confidently into the future, MARA envisions itself as a frontrunner in the global market, setting new benchmarks for quality and performance. Our ambition is to be recognized as a brand that not only powers engines but fuels aspirations, promising a smoother, more efficient, and reliable driving experience for customers around the world.

Choose MARA, where tradition, innovation, and a passion for excellence converge to drive your journey forward.


Packaging

Different business sectors have different needs, therefore we have developed a range of packaging. Selection of the adequate packaging will improve the efficiency in transportation and storage. Choosing supreme quality of the packaging materials made our products overall splendid.



Engine oils for

tractors, cars,
excavators &
trucks



EVOLUTION

GTX

TRANS GEAR EP SAE

ATF

MOTORCYCLE OILS



MARA
EVOLUTION
C2 0W-30

Specifications	Description
API SN; ACEA C2; PSA B71 2312/2290; FIAT 9.55535-DS1/GS1; CHRYSLER MS 90047/13340; HONDA; HYUNDAI; INFINITI; KIA; LEXUS; NISSAN; SUZUKI	<ul style="list-style-type: none">• Mara Evolution C2 0W-30: Fully synthetic oil for PSA EURO VI Blue HDi DW10F engines with exhaust aftertreatment and turbocharger.• Offers high fuel economy, low CO2 emissions, excellent cold-start fluidity, engine cleanliness, and aftertreatment system protection. Suitable for vehicles with Stop & Start technology.
Packing (Liters)	
1 L 4 L 5 L 10 L 20 L 60 L 208 L	



MARA
EVOLUTION
C2 5W-30

Specifications	Description
ACEA C2; API SN/CF; FIAT 9.55535-S1/S2/S3/T2; PSA B71 2290; MB 229.31/229.51; BMW LL-04; PORSCHE A40; GM Dexos 2/GM-LL-B-025/GM-LL-A-025; FORD WSS-M2C917-A; FORD WSS-M2C50-A; JLR 03.5007; RENAULT RN 0700/RN 0710/RN 17	<ul style="list-style-type: none">• Mara Evolution C2 5W-30: Fully synthetic engine oil for superior fuel economy, low CO2 emissions, excellent engine cleanliness, and aftertreatment system protection.• Ideal for PSA Group engines with DPF and Japanese OEMs like Toyota, Honda, Subaru, and Nissan.
Packing (Liters)	
1 L 4 L 5 L 10 L 20 L 60 L 208 L	



MARA
EVOLUTION
LL 0W-30

Specifications	Description
ACEA C3; VW 504 00/507 00; MB 229.51; BMW Longlife-04; Porsche C30	<ul style="list-style-type: none">• Mara Evolution LongLife 0W-30 is synthetic engine oil designed for gasoline and diesel engines to provide ultimate performance and protection under all operating conditions and to protect Exhaust Emission Reduction Systems.
Packing (Liters)	
1 L 4 L 5 L 10 L 20 L 60 L 208 L	<ul style="list-style-type: none">• Mara Evolution LongLife 0W-30 is formulated for use in modern VW, Audi, Seat and Skoda gasoline and diesel engines.



MARA
EVOLUTION
C4 5W-30

Specifications	Description
ACEA C4; FIAT 9.55535-S4; MB 226.51/229.51/229.31; RENAULT RN 0720	<ul style="list-style-type: none">• High-performance low SAPS synthetic engine oil with complete DPF protection.• Outstanding performance, protection, and durability for Renault Group engines requiring ACEA C4 and RN 720 specifications.
Packing (Liters)	
1 L 4 L 5 L 10 L 20 L 60 L 208 L	



MARA
EVOLUTION
LL 5W-30

Specifications	Description
ACEA C3; VW 504 00/507 00; MB 229.51; BMW Longlife-04; Porsche C30	<ul style="list-style-type: none">• Mara Evolution LongLife 5W-30 is synthetic engine oil designed for gasoline and diesel engines to provide ultimate performance and protection under all operating conditions and to protect Exhaust Emission Reduction Systems.• Mara Evolution LongLife 5W-30 is formulated for use in modern VW, Audi, Seat and Skoda gasoline and diesel engines.
Packing (Liters)	
1 L 4 L 5 L 10 L 20 L 60 L 208 L	



MARA
EVOLUTION
A5 5W-30

Specifications	Description
ACEA A5/B5; API SN/CF; FORD WSS-M2C913-D	<ul style="list-style-type: none">• Fully synthetic engine oil meeting ACEA A5/B5, Ford WSS-M2C913-C/D specifications, mandatory for modern Ford vehicles with petrol and diesel engines.• Improved lubrication, fuel economy, and low-temperature fluidity.
Packing (Liters)	
1 L 4 L 5 L 10 L 20 L 60 L 208 L	



MARA
EVOLUTION
C3 5W-30

Specifications	Description
API SN/SM/CF; ACEA C3; MB 229.31/229.51; RN700/RN710; BMW Longlife – 04; GM dexos2; Porsche A40; Ford WSS-M2C917-A; VW 502 00/505 00/505 01	<ul style="list-style-type: none">• Mara Evolution C3 5W-30 is synthetic engine oil designed for use in automotive gasoline and diesel engines where the manufacturer recommends an API SN, ACEA C3 5W-30 lubricant.• Mara Evolution C3 5W-30 provides protection against engine sludge, protection of emission systems by helping to keep diesel particulate filters clean.
Packing (Liters)	
1 L 4 L 5 L 10L 20 L 60 L 208 L	



MARA
EVOLUTION
C3 5W-40

Specifications	Description
API SN/SM/CF; ACEA C3; VW 502 00/505 00/505 01; MB 229.31/229.51; RN700/RN710; BMW Longlife – 04; GM dexos2; Porsche A40; Ford WSS-M2C917-A; FIAT 9.55535-S2	<ul style="list-style-type: none">• Mara Evolution C3 5W-40 is synthetic engine oil designed for gasoline and diesel engines to provide long engine life.• Mara Evolution C3 5W-40 can be used in direct injection diesel engines, including common rail direct fuel injection systems with or without aftertreatment system.
Packing (Liters)	
1 L 4 L 5 L 10L 20 L 60 L 208 L	



MARA
GTX 700
5W-40

Specifications	Description
API SL/SJ-CF; ACEA A3/B4; MB 229.1; BMW Longlife 98; VW 505 00/501 01	<ul style="list-style-type: none">• Mara GTX 700 5W-40 is synthetic engine oil designed for gasoline and diesel engines of a wide range of vehicles (cars, light SUVs, vans and light trucks) from European and other manufacturers.
Packing (Liters)	
1 L 4 L 5 L 10 L 20 L 60 L 208 L	



MARA
GTX 700
10W-40

Specifications	Description
API SL/SJ-CF; ACEA A3/B4; MB 229.1; BMW Longlife 98; VW 505 00/501 01	<ul style="list-style-type: none">• Mara GTX 700 10W-40 is designed for gasoline and diesel engines of a wide range of vehicles (cars, light SUVs, vans and light trucks) from European and other manufacturers.
Packing (Liters)	
1 L 4 L 5 L 10 L 20 L 60 L 208 L	



MARA
GTX 700
5W-30

Specifications	Description
API SL/SJ-CF; ACEA A3/B4; MB 229.1; BMW Longlife 98; VW 505 00/501 01	<ul style="list-style-type: none">• Mara GTX 700 5W-30 is synthetic engine oil designed for gasoline and diesel engines of a wide range of vehicles (cars, light SUVs, vans and light trucks) from European and other manufacturers.
Packing (Liters)	
1 L 4 L 5 L 10 L 20 L 60 L 208 L	



MARA
GTX 500
15W-40

Specifications	Description
API SL/CF; ACEA A3/B4; MB 229.1	<ul style="list-style-type: none">Mara GTX 500 15W-40 is designed for gasoline and diesel engines of a wide range of vehicles (cars, light SUVs, vans and light trucks) from European and other manufacturers.
Packing (Liters)	
1 L 4 L 5 L 10 L 20 L 60 L 208 L	



MARA
GTX 500
20W-50

Specifications	Description
API SL/CF; ACEA A3/B4; MB 229.1	<ul style="list-style-type: none">Mara GTX 500 20W-50 is designed for gasoline and diesel engines of a wide range of vehicles (cars, light SUVs, vans and light trucks) from European and other manufacturers.
Packing (Liters)	
1 L 4 L 5 L 10 L 20 L 60 L 208 L	



MARA
TRANS GEAR
EP SAE
90W

Specifications	Description
API GL-5; ZF TE-ML 07A/ML 08	<ul style="list-style-type: none">Mara Trans Gear EP SAE 90W are multi-purpose mineral oils.
Packing (Liters)	
1 L 4 L 5 L 10 L 20 L 60 L 208 L	



MARA
TRANS GEAR
EP SAE
80W

Specifications	Description
API GL-5; ZF TE-ML 07A/ML 08	<ul style="list-style-type: none">Mara Trans Gear EP SAE 80W are multi-purpose mineral oils.
Packing (Liters)	
1 L 4 L 5 L 10 L 20 L 60 L 208 L	



MARA
TRANS GEAR
EP SAE
140W

Specifications	Description
API GL-5; ZF TE-ML 07A/ML 08	<ul style="list-style-type: none">Mara Trans Gear EP SAE 140W are multi-purpose mineral oils.
Packing (Liters)	
1 L 4 L 5 L 10 L 20 L 60 L 208 L	



MARA
TRANS GEAR
EP SAE
80W-90

Specifications	Description
API GL-5; ZF TE-ML 07A/ML 08	<ul style="list-style-type: none">Mara Trans Gear EP 80W-90 is recommended for use in manual transmissions of passenger cars, heavy-load highway (freight trucks, buses, etc.), off-road (construction, mining, agricultural) and special vehicles in which the required level of service characteristics is GL-5.
Packing (Liters)	
1 L 4 L 5 L 10 L 20 L 60 L 208 L	



MARA
TRANS GEAR
EP SAE
75W-90
GL-5

Specifications	Description
API GL-5; MAN 342 Type M-1; MB 235.0; MIL-L-2105D; Voith 3.325-339; Volvo 97310, 97316; ZF TE-ML 07A, 08, 16B/C/D, 17B, 19B, 21A	<ul style="list-style-type: none">Mara Trans Gear EP SAE 75W-90 GL-5 is a synthetic hypoid oil for lubricating all types of hypoid gears in motor vehicles and industrial machinery, which operate under conditions of high shock loads, as well as in high and low ambient temperature conditions.It can also be used in manual transmissions of passenger cars, light trucks and vans, commercial vehicles, and agricultural and construction machinery.
Packing (Liters)	
1 L 4 L 5 L 10 L 20 L 60 L 208 L	




MARA
TRANS GEAR
EP SAE
75W-80

Specifications	Description
API GL-5; ZF TE-ML 07A/ML 08	<ul style="list-style-type: none">Mara Trans Gear EP 75W-80 is an extreme-pressure lubricant for gear boxes, specially formulated to satisfy the highest service conditions: high speed, shockloads and high torque at low speeds.
Packing (Liters)	
1 L 4 L 5 L 10 L 20 L 60 L 208 L	



MARA
TRANS GEAR
EP SAE
75W-90

Specifications	Description
API GL-4	<ul style="list-style-type: none">Mara Trans Gear EP 75W-90 is lubricant based on carefully selected highly refined base oils.This is a transmission oil with an exceptionally high viscosity index.It exhibits excellent fluidity at low temperatures and ensures a long life of the oil and gears.
Packing (Liters)	
1 L 4 L 5 L 10 L 20 L 60 L 208 L	





MARA
ATF
A

Specifications	Description
ATF type A Suffix A; MB 236.2; ALLISON C-3; VOITH	<ul style="list-style-type: none">Mara ATF A is used for lubrication of automatic transmission systems of motor vehicles, as well as transmission of agricultural, mining, and construction machinery (automatic transmissions, hydraulic control systems, hydraulic couplings, torque converters, power steering of heavy vehicles, etc.) for which Type A Suffix A (TASA) quality oil is recommended.
Packing (Liters)	
1 L 4 L 5 L 10 L 20 L 60 L 208 L	



MARA
ATF
D II

Specifications	Description
GM DEXRON II-D; Allison C4; Caterpillar TO-2; MAN 339 Type V1/Z1; MB 236.5/236.7; Renk; VOITH G607; ZF TE-ML 03D/04D/11A/14A/17C	<ul style="list-style-type: none">Mara ATF D II is an oil with a high viscosity index for automatic transmissions. It is characterized by a high chemical stability, increased anti-wear properties and an excellent resistance against ageing.It can be used in automatic transmissions, torque converters, power steering and hydraulic circuits, for which the manufacturers prescribe a product, which meets the General Motors ATF TYPE Dexron II-D requirements.
Packing (Liters)	
1 L 4 L 5 L 10 L 20 L 60 L 208 L	



MARA
ATF
D III

Specifications	Description
GM DEXRON III H/G; ZF TE-ML 03D/04D/05L/09/11A/11B/14A; VOITH H55.6335; MB 236.6; Allison C-4/TES 389; MAN 339 Type V1&Z1; Volvo 97340	<ul style="list-style-type: none">Mara ATF D III is a universal oil for automatic transmission.Used for automatic transmissions installed in motor vehicles by the world's leading transmission manufacturers.
Packing (Liters)	
1 L 4 L 5 L 10 L 20 L 60 L 208 L	




MARA
POWER
RACING
2T

Specifications	Description
API TC+; JASO FD; ISO-L-EGD	<ul style="list-style-type: none">Mara Power Racing 2T is fully synthetic oil designed for lubrication of modern two-stroke racing engines with air or water cooling.Suitable for all 2-stroke engines in modern Japanese and European motorcycles, scooters, ATVs and quads. This oil can be used for pre-mix, or with oil injection systems.
Packing (Liters)	
1 L 4 L 5 L 10 L 20 L 60 L 208 L	



MARA
POWER
SCOOTER
2T

Specifications	Description
JASO FD; API TC; ISO EGD	<ul style="list-style-type: none">Mara Power Scooter 2T is semi-synthetic motorcycle engine oil designed for high protection of two-stroke scooter engines.Protects scooter engines in all weather conditions and guarantees maximum performance output of the scooter. This oil can be used for pre-mix, or with oil injection systems.
Packing (Liters)	
1 L 4 L 5 L 10 L 20 L 60 L 208 L	



Contact us

Contact us if you need any additional information about our products. You can do so by contacting Mapetrol, under who we are licenced.

info@mapetrol.si
+386 2 230 28 80

A long-exposure photograph of a multi-lane highway at night. The image shows bright white light trails from vehicles moving away from the viewer and red light trails from vehicles moving towards the viewer. The road curves into the distance under a dark sky.

Find more
information
on our website

www.mara-oil.com

A long-exposure photograph of a multi-lane highway at night. The image shows curved light trails from vehicles, with red trails on the left side of the road and white/yellow trails on the right. The road curves into the distance under a dark sky, with some distant lights visible on the horizon.

MARA

Produced under licence of Mapetrol

www.mara-oil.com

MAPETROL

Linhartova 17a, 2000 Maribor

Slovenia, EU

T: +386 2 230 28 80

info@mapetrol.si

www.mapetrol.eu

www.mara-oil.com